From: Ex. 6 - Personal Privacy
Sent: 5/6/2012 8:36:30 PM

To: "Richard Rupert/R3/USEPA/US" <Rupert.Richard@epamail.epa.gov>

CC:

Subject: Re: treatment for methane and H2S

Hi Richard, Thank you for the information and sorry it has taken so long for me to reply.

I will get Roy to read these 2 sites and get back to you. Thank you, Ex.6-Personal Privacy On Tue, May 1, 2012 at 5:43 AM, Richard Rupert < Rupert.Richard@epamail.epa.gov > wrote:

Good morning,

I hope you are receiving my emails, please let me know that you have received this message. I have not forgotten our conversation and your interest in a simple method to deal with the methane. I found some approaches that have been used successfully in Canada where they have methane and hydrogen sulfide problems. Below are websites with some relatively simple solutions. I hope they help you. I would be very interested in what you finally decide to do. If you do decide to try to install one of the systems I would very much like to see your work. If I can provide any technical assistance please let me know, I would be glad to help.

thanks

Rich

http://www1.agric.gov.ab.ca/\$department/deptdocs.nsf/all/agdex637 http://www1.agric.gov.ab.ca/\$department/deptdocs.nsf/all/agdex1160

Richard Rupert,
On-Scene Coordinator
U.S. EPA
1650 Arch Street - 3HS31
Philadelphia, PA 19103
(215) 814-3463 - office
215 514-8773 - mobile
rupert.richard@epa.gov
"The commander in the field is always right and the rear echelon is wrong, unless proved otherwise."
Colin Powell
From: Richard Rupert/R3/USEPA/US
To: Ex. 6 - Personal Privacy
Date: 04/20/2012 05:26 AM
Subject: Re: Contact

Hi,

During our meeting we discussed a company that had done predrill water testing in the Dimock area. This company is Farnham & Associates, Inc http://www.farnhaminc.com/

Richard Rupert,
On-Scene Coordinator
U.S. EPA
1650 Arch Street - 3HS31
Philadelphia, PA 19103
(215) 814-3463 - office
215 514-8773 - mobile
rupert.richard@epa.gov

DIM0102876 DIM0102876